

# COMP1730/COMP6730

## Programming for Scientists

Exceptions and exception  
handling



# Lecture outline

- \* The exception mechanism in python
- \* Causing exceptions (`assert` and `raise`)
- \* Handling exceptions

# Reminder: Kinds of errors

- \* Syntax errors: it's not python!
- \* Runtime errors – code is syntactically valid, but you're asking the python interpreter to do something impossible.
  - E.g., apply operation to values of wrong type, call a function that is not defined, etc.
  - Causes an *exception*.
- \* Semantic/logic errors: code runs without error, but does the wrong thing (for example, returns the wrong answer).

# Exceptions

- ★ Exceptions are a control mechanism for handling runtime errors:
  - An exception is *raised* when the error occurs.
  - The exception moves up the call chain until it is *caught by a handler*.
  - If no handler catches the exception, it moves all the way up to the python interpreter, which prints an error message (and quits, if in script mode).
- ★ python allows the programmer to both raise and catch exceptions.

# Exception names

- \* Exceptions have *names*:
  - `TypeError`, `ValueError`  
(incorrect type or value for operation)
  - `NameError`, `UnboundLocalError`,  
`AttributeError`  
(variable or function name not defined)
  - `IndexError` (invalid sequence index)
  - `KeyError` (key not in dictionary)
  - `ZeroDivisionError`
  - ...and others.

- \* `https://docs.python.org/3/library/exceptions.html#concrete-exceptions` for full list of exceptions in python standard library.
- \* Modules can define new exceptions.

# Raising exceptions

# Assertions - Recap

- \* `assert condition, "fail message"`
  - Evaluate `condition` (to type `bool`)
  - If the value is not `True`, raise an `AssertionError` with the (optional) message.
- \* Assertions are used to check the programmer's assumptions (including correct use of functions).
- \* Function's docstring states assumptions; assertions can check them.



# The `raise` statement

- \* `raise ExceptionName(...)`
  - Raises the named exception.
  - Exception arguments (required or optional) depend on exception type.
- \* Can be used to raise any type of runtime error.
- \* Typically used with programmer-defined exception types.

# Reminder: Defensive programming

- \* Runtime errors are preferable to semantic errors, because it is immediately clear when and where they occur.
- \*  $\Rightarrow$  it is better to “fail fast” (raise an exception) than to return a nonsense result.
- \* Don't assert more than what is necessary.
  - For example, don't restrict types:

```
def fun(seq):  
    assert type(seq) == list  
    ...
```

is unnecessary if the function works for any sequence type.

# Catching exceptions

# Exception handling

```
try:  
    suite  
except ExceptionName:  
    error-handling suite
```

- \* Execute *suite*.
- \* If no exception arises, skip *error-handling suite* and continue as normal.
- \* If the named exception arises from executing *suite* immediately execute *error-handling suite*, then continue as normal.
- \* If any other error occurs, fail as normal.



- ★ An un-caught exception in a function causes an immediate end to the execution of the function suite; the exception passes to the function's caller, arising from the function call.
- ★ The exception stops at the *first* matching `except` clause encountered in the call chain.



\* `f(2, -2), f("ab", "cd"), f("ab", 2):`  
which error handler executes?

```
def f(x, y):  
    try:  
        return g(x, x + y)  
    except ZeroDivisionError:  
        return 0  
    except TypeError:  
        return 1
```

```
def g(x, y):  
    try:  
        return x / y  
    except TypeError:  
        return None
```

# When to catch exceptions?

- \* Never catch an exception unless there is a sensible way to handle it.
- \* If a function does not raise an exception, its return value (or side effect) should be correct.
  - Therefore, if you can't compute a correct value, raise an exception!



# Bad practice (delayed error)

```
def average(seq):
    try:
        return sum(seq) / len(seq)
    except ZeroDivisionError:
        print("empty sequence!")

avg1 = average(a_seq)
avg2 = average(b_seq)
...
if avg1 < avg2:
    ...
```



## \* Repeat asking for input until valid:

```
number = None
while number is None:
    try:
        ans = input("Enter PIN:")
        number = int(ans)
    except ValueError:
        print("That's not a number!")
        number = None
```

- ★ Test if an operation is defined:

```
try:  
    n = len(seq)  
except TypeError:  
    n = 0 # type doesn't have length
```

- ★ A way to check if a value is “a sequence”, “iterable”, etc. (recall these are abstract concepts, not actual python types).
- ★ Few cases where this is useful.

```
try:  
    suite  
except ExceptionName:  
    error-handling suite  
finally:  
    clean-up suite
```

- \* After *suite* finishes (whether it causes an exception or not), execute *clean-up suite*.
- \* If an `except` clause is triggered, the error handler is executed before *clean-up suite*.
- \* If the exception passes to the caller, *clean-up suite* is still executed before leaving the function.



\* Ensure file is closed even if an exception occurs:

```
def read_file(fname):  
    fo = open(fname)  
    try:  
        for line in fo:  
            # process line  
    finally:  
        fo.close() # close file
```

# Summary

- \* Consider:
  - What runtime errors can occur in your code?
  - Which should be caught, and how should they be handled?
  - What assumptions should be checked?
- \* Use `assert` or `raise` to check violated assumptions.
- \* Never catch an exception unless there is a sensible way to handle it.