

Creating Classes and Objects

The following slides describe the *mechanics* of creating a class and creating objects (instances of that class) in Java.

Some of the mechanics will not make much sense until later when the relevant concepts are explained. For now, treat these as boilerplate (stuff you 'just do').

Class Declaration

A class declaration will have the following, in order:

- Any modifiers (public, private, etc.)
- The keyword class
- The class' **name** (first letter capitalized)
- Optional superclass' name preceded by extends
- Optional list of interfaces preceded by implements
- The class body surrounded by braces {}

Member Variable Declaration

Three kinds:

- Class and instance variables, called *fields*
- Variables within a method, called *local variables*
- Method arguments, called parameters

Member variables will have the following, in order:

- Any modifiers (public, private, etc.)
- The field's type
- The field's name



Constructors

A constructor is a special method that is automatically executed when an instance is created.

Constructors differ from normal methods:

- They have no return type.
- They have the same name as the class.

If no constructor is provided, the compiler will automatically call the constructor for the class' superclass

Creating Objects

A statement creating an object has three parts:

- Declaration (a referring variable and type)
- Instantiation (the new keyword)
- Initialization (call to constructor)

Using Objects

Outside a class, an object reference followed by the dot '.' operator must be used:

- Reference the object's fields
 - Object reference, '.', field name
- Call the object's methods
 - Object reference, '.', method name, arguments in parentheses ('(' ')')

Within instance methods, the object's fields and methods can be accessed directly by name, (optionally with the this keyword).

- fieldName Or methodName()
- this.fieldName Of this.methodName()